



**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

**January, 2016 M3-R4: PROGRAMMING AND PROBLEM SOLVING
THROUGH 'C' LANGUAGE Solved**

January, 2016

PART ONE

(Answer all the questions)

1. Each question below gives a multiple choice of answers. Choose the most appropriate one and enter in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1x10)

1.1 Function of a compiler is to

- A) put together the file and functions that are required by the program
- B) translate the instructions into a form suitable for execution by the program**
- C) load the executable code into the memory and execute them
- D) allow the user to type the program

1.2 The preprocessor directives start with

- A) //
- B) /
- C) #**
- D) /*

1.3 Which of the following defines a variable 'a' as an array of pointers to integers?

- A) int *b[10], a[10];
- B) int *b, a[10];
- C) int b, *a[10];**
- D) int b, (*a)[10];

1.4 Which of the following is not an infinite loop?

- A)

```
for (i = 1; i < 10; i--)  
    printf("%d", i);
```

- B)

```
while (i <= 10) // Assume i is initialized to 1  
{  
    printf("%d", i);  
    if (i == 3)  
        continue;  
    if (i == 6)  
        break;  
    i++;  
}
```



**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

C)

```
do // Assume i is initialized to 1
{
    printf("%d", i);
    if (i == 3)
        continue;
    if (i == 6)
        break;
    i++;
}
```

```
}while (i <= 10);
```

D)

```
while (i <= 10) // Assume i is initialized to 1
{
    printf("%d", i);
    if (i == 6)
        continue;
    if (i == 3)
        break;
    i++;
}
```

1.5 Which of the following is the correct way to define a self-referential structure named 'test'?

A)

```
struct test
{
    int a;
    struct test p;
};
```

B)

```
struct test
{
    int a;
    struct test *p;
};
```

C)

```
struct test
{
    int a;
}*t;
```

D)

```
struct *test
```




**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

```
{  
    int a;  
    struct test p;  
};
```

1.6 What is the output of the following code segment?

```
void fn()  
{  
    int a = 10;  
    static int b = 20;  
    printf("a = %d b = %d ", ++a, ++b);  
}  
int main()  
{  
    fn();  
    fn();  
    return 0;  
}
```

- A) a = 11 b = 21 a = 11 b = 21
- B) a = 11 b = 21 a = 12 b = 21
- C) **a = 11 b = 21 a = 11 b = 22**
- D) a = 11 b = 21 a = 12 b = 22

1.7 Consider a structure defined as follows:

```
struct student  
{  
    int rollNo, marks;  
    char name[30], course[30];  
} s, *sp;
```

1.8 Which of the following is the correct way to access the members of the structure?

- A) sp.marks
- B) **sp->rollNo**
- C) student.course
- D) s->name

1.8 Which of the following statements will not dynamically allocate space to store 10 integers?

- A) int a[10];
- B) int *p = (int *) malloc(10 * sizeof(int));
- C) **int *p = (int *) calloc(10, sizeof(int));**
- D) none of the above

1.9 What will be the output of the following code segment?

```
int a = 100, b = 74;
```




**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

```
if (a++ > 100 && b++ > 200)
    printf("High values with a = %d b = %d\n", a, b);
if (a++ < 100 || b++ < 200)
    printf("Low values with a = %d b = %d\n", a, b);
```

- A) High values with a = 101 b = 74
 B) **Low values with a = 102 b = 75**
 C) High values with a = 102 b = 75
 D) Low values with a = 101 b = 74

1.10 Which of the following can be used as a variable name?

- A) no of students
 B) char
 C) 7th
 D) **myName**

2. Each statement below is either TRUE or FALSE. Choose the most appropriate one and ENTER in the “OMR” answer sheet supplied with the question paper, following instructions therein. (1x10)

- 2.1 Comments in the program make debugging of the program easier. **(T)**
 2.2 There is no difference between '\0' and '0'. **(F)**
 2.3 The fprintf() function can be used to display the output on the screen. **(T)**
 2.4 A float constant cannot be used as a case constant in a switch statement.
 2.5 The statement void p; is valid. **(F)**
 2.6 while (0); is an infinite loop. **(F)**
 2.7 If char *p = "Structured Programming", then p[5] is 'c'. **(T)**
 2.8 A function can have any number of return statements. **(F)**
 2.9 In a union, space is allocated to every member individually. **(F)**
 2.10 An algorithm is a graphical representation of the logic of a program. **(F)**

3. Match words and phrases in column X with the closest related meaning/word(s)/phrase(s) in column Y. Enter your selection in the “OMR” answer sheet supplied with the question paper, following instructions therein. (1x10)

- | X | Y |
|--|----------------------------|
| 3.1 A necessary function (J) | A. ++x |
| 3.2 Pre-decrement (I) | B. Node points to the next |
| 3.3 Typcasting (H) | C. test(a, test(a + b)) |
| 3.4 Call by reference (G) | D. remove() |
| 3.5 Linked list (B) | E. fscanf() |
| 3.6 Recursion (C) | F. ~ |
| 3.7 Bitwise operator (F) | G. fn(&a) |
| 3.8 Removes dynamically allocated space (K) | H. (float) |
| 3.9 Function to read the contents of a file (E) | I. --m |
| 3.10 Comparing contents of two character | J. main() |



**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

arrays str1 and str2 (L)

- K. delete()
- L. strcmp(str1, str2)
- M. fn(a)

4. Each statement below has a blank space to fit one of the word(s) or phrase(s) in the list below. Enter your choice in the “OMR” answer sheet supplied with the question paper, following instructions therein. (1x10)

- | | | |
|----------------------|-------------|------------------|
| A. a+ | B. stdin | C. sizeof(float) |
| D. '\0' | E. "\0" | F. (*p).name |
| G. fn(int q, char c) | H. register | I. fn(12, 'n') |
| J. {} | K. logical | L. Header |
| M. relational | | |

- 4.1 A file can be opened for both reading and writing using _____ **(A)** mode.
- 4.2 The preferred storage class if fast access is required for a variable is _____ **(H)**.
- 4.3 A function call for a function with the declaration void fn(int x, char c); is _____ **(I)**.
- 4.4 _____ **(B)** is the file automatically connected to the keyboard for every program.
- 4.5 _____ **(D)** is the character stored in the pointer value of the last node of a linked list.
- 4.6 The _____ **(K)** operators are used to compare the values of integers.
- 4.7 If *pf is a pointer to float, then ++pf will increment its value by _____ **(C)**.
- 4.8 The brackets used to mark the boundaries of a block are _____ **(J)**.
- 4.9 Relevant _____ **(L)** files have to be included in a program for library functions to work.
- 4.10 p -> name can be written as _____ **(F)**.

PART TWO

(Answer any FOUR questions)

- 5.
 - a) Write a program to calculate number of vowels (a, e, i, o, u) separately in the entered string.
 - b) Write a program to find the power of number using function.
 - c) Draw a flowchart to print the factorials of numbers from 1 to n, where n is entered by user.
- (6+5+4)
- 6.
 - a) Write a program to copy a file into another file.
 - b) Write a function to print the sum of the following series:
 $1 + 22 + 33 + \dots + nn$
where n is passed as an argument to the function.
 - c) Write a function to read a two dimensional matrix along with the number of rows and columns in it, from the user. The contents of the array and the number of rows and columns should be passed back to the calling function.
- (5+5+5)
- 7.
 - a) How does passing an array as an argument to a function differ from call by value?



**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

b) Differentiate between the following:

- i) if and switch statements
- ii) while and do..while loops

c) Write a program that displays the recommended actions depending on the color of a traffic light using the switch statement.

(4+4+7)

8.

a) Write a program having a recursive function to calculate the factorial of a number. In the main()

function, read the value of the number and then using the recursive function display the result.

b) Write a program to create a structure Employee having empCode, name, department, address and salary as its members. Read the details for 10 employees and then display them.

(6+9)

9.

a) What is the output of the following code segments?

```
i) int m = -10, n = 20;
n = (m < 0) ? 0 : 1;
printf("%d %d", m, n);
```

Output :

-10,0

ii) int x = 7538;

```
printf("%d %d\n", x % 100, x / 10);
```

Output :

Garbage and 753

iii) char c = 'f';

```
switch (c) {
default: printf("unknown colour ");
case 'r': case 'R': printf("Red ");
case 'g': case 'G': printf("Green "); break;
case 'b': case 'B': printf("Blue");
}
```

Output :

unknown colour Red Green

```
iv) char a[] = "Hello", *p = a;
while (*p != '\0')
printf("%s\n", p++);
```

Output:



**JAWAHAR COMPUTER EDUCATION®,
AN ISO 9001:2015 CERTIFIED INSTITUTE, FULL ACCREDITED BY NIELIT**

Hello
ello
llo
lo
o

b) Define the structure of a node of a singly linked list and use it to write a function to count the number of nodes in a singly linked list. The function should accept a pointer to the first node of the list and it should return the number of nodes in the list.

([2+2+2+3]+6)

