



Chapter-2 HTML Basics

A. Multiple Choice Questions.

1. Which from the following the following is not a type of screen frames in HTML.

- a. iframe
- b. noframe
- c. frameset
- d. uframe

2. What is the use of iframe in HTML?

- a. To display a web page within a web page
- b. To display a web page with animation effect
- c. To display a web page without a browser
- d. All of the above

3. What an article element contain?

- a. Audio
- b. Text or embedded content
- c. Image
- d. Video

4. Which of the following HTML 4 attributes is removed in HTML 5?

- a. Text
- b. Rules
- c. Link
- d. All of the above

5. Which of these tags are all <table> tags?

- a. <table><head><tfoot>
- b. <table><tr><td>
- c. <table><tr><tt>
- d. <thead><body><tr>

6. How can you open a link in new browser Window?

- a.
- b.
- c.
- d.

7. tag makes the enclosed text bold. What is other tag to make text bold?

- a.
- b. <dar>
- c. <block>
- d. <emp>

8. What should be the first tag in any HTML document?

- a. <head>
- b. <title>
- c. <html>
- d. <document>

9. What tag allows to add a row in a table?

- a. <td> and </td>
- b. <dr> and </dr>
- c. <th> and </th>
- d. <tr> and </tr>

10. How can you make a bullet list?

- a. <dl>
- b. <nl>
- c.
- d.

11. How can you make a numbered list?

- a. <dl>
- b.
- c. <list>
- d.

12. What is the correct HTML of making a hyperlink?

- a. Book Store
- b. Book Store
- c. https://bpbonline.com
- d. url=https://bpbonline.com>Book Store

13. Choose the correct HTML tag to make the text italic.

- a.
- b. <italics>
- c. <italic>
- d. <i>

14. What does vlink attribute mean?

- a. Visited link
- b. Virtual link
- c. Very good link
- d. Active link

15. Which tag creates a check box for a form in HTML?

- a. <checkbox>
- b. <input type="checkboc">
- c. <input=checkbox>
- d. <input checkbox>

16. Which of the following attribute is related to font tag?

- a. size
- b. face
- c. . color
- d. All of the above

17. Which tag is used to list individual items of an ordered list?

- a. LI
- b. OL
- c. UL
- d. None of the above

18. Which of the following is not the type of attribute for input tag?

- a. day
- b. week
- c. month
- d. time

19. Which of the following defines a group of related option in a drop down list.

- a. <form>
- b. <optgroup>
- c. <output>
- d. <option>

20. How can you make a bullet list?

- a. <input>
- b. <select>
- c. <textarea>
- d. <base>

B. State whether the following statements are True or False.

1. To insert a video, you use a tag and set its src attribute to local or remote URL containing a playable movie.

2. <select> tag creates a checkbox for a form of HTML.

3. The cellpadding attribute is used with <td> tag.

4. The default value of border is 1.

5. The cellspacing attribute tells the browser how much space to include between the walls of the table.

6. <!doctype html> is the correct syntax of doctype in HTML5.

7. The align and valign are the attributes used with <td> tag to set the alignment of data in a cell.

8. To insert a video, you use a video tag and set its src attribute to a local or remote URL containing a playable movie.

9. Radio buttons are small, round buttons that enable users to select a single option from a list of choices.

10. The base tag and frame tags can be used to embed an inline frame within a web page.

C. Match the following:

1. The acronym w3c stands for:	a. Table header
2. In the <th> tag the stand for:	b. Combining
3. Which attribute of <td> tag is used to merge to or more columns to form a single columns:	c. World Wide Web
4. To or more cells in a table on a web page is called:	d. <table> tag
5. The correct html code to right align the content inside a table cell:	e. Colspan
6. Border, frame, cellspacing, cellpadding, align are the attribute of	f. Font and Style
7. HTTP:	g. <td alignt="right">
8. The attribute in an input element insert a button that when click will clear all the contents:	h. Scr
9. _____ attributes specify the layout of frames within the browser window.	i. Type="reset"
10. The attribute of <iframe> tag used to point the location of a page is	j. <body> tab
	k. Reuest-Responser protocol

D. Fill in the blanks.

a. Base and target	b. Colspan	c. Nav	d. Cells	E. Header	f. Src
g. Rowspan	H. Underline the text	i. Pixels	j. iframe	k. Frameset	l. Display the bulleted list

- HTML5 documents may contain a _____ element, which is used to set the header section of a document.
- _____ contain the navigation menu, or other navigation functionality for the page.
- Use the _____ tag and _____ attribute to force all the link on a page to load in a particular frame.
- The _____ attribute of the frame tag tells the browser which html page to load into the frame.
- The _____ attribute is used to span two or more columns in a table.
- The _____ attribute is used to combine the cells vertically.
- The height and width attributes of <table> tag are specified in terms of _____ or percentage.
- Cellspacing is used to create a space between different _____ in a table.
- ... tag is used to _____.
- A group of frames is called a _____.

Answers

A	1. d	2. a	3. b	4. d	5. b
	6. c	7. a	8. c	9. d	10.c
B	11.b	12.a	13.d	14.a	15.b
	16.d	17.a	18.a	19.b	20.d
C	1. T	2. T	3. F	4. F	5. F
	6. T	7. T	8. T	9. T	10.F
D	1. c	2. a	3. e	4. b	5. g
	6. d	7. k	8. i	9. f	10.h
E	1. e	2. c	3. a	4. f	5. b
	6. g	7. i	8. d	9. l	10.k

JAWAHAR COMPUTER EDUCATION