

Chapter-4 CSS Framework

A. I	Иu	ltip	le	Cho	ice	Qι	iest	ions	5.
		-				_			

- 1. To use w3.css in you program_____ add stylesheet document in the web page.
- a. href="https://www.w3school.com/lib/.css"
- b. href="http://www.w3school.com/lib/w3.css
- c. hrefs="http://www.w3school.com/...lib/w5.sss
- d. href="https://www.w3school.com/...lik/w3css"
- 2. Which one of the following class to set background color performed by w3.css?
- a. w3.color

b. w3-background-color

c. w3-bgcolor

- d w3.color
- 3. Which of the class to set the element of text color?
- a. w3.text.color

b. w3.css-text-colorde

c. w3-text-color

- d. w3.text.color
- 4. To set border on all slides which class to add borders style.
- a. w3_bord@

b. w3-border

c. w3-borders

- d. w3-bordered
- 5. ws container class used to style multiple container type elements in a similar style by adding.
- a. Uniform

b. Padding

c. Fonts

- d. All of the above
- 6. In which classes to give hoverable background colors to the text and button by using.
- a. w3-hover-color

b. w3.hover-color

c. w3:hover-color

d. w3-hoverable-color

7. Which class to set background color of any html element in w3.css?

a. w3.color b. w3_color

c. w3-color d. w3:color

8. Which of these the w3-container class is not used for HTML container element like?

a. <div> b. c. <footer> d. <article>

9. Choose the correct class in W3.CSS to set the background color when mouse is hovered over an element.

a. w3hover:color b. w3-color-hover c. w3hover:color d. w3-hover-color

10. Which class to write bordered shadow for displaying paper-like cards?

a. w3-card b. w3:card

c. w3.card d. None of the abov

- B. State whether the following statements are Yrue or False.
- 1. The w3-container class has default 16pt left and right padding and no top or bottom padding.
- 2. W3.CSS default font size is 20 px.
- 3. The default font in verdana, which has a good letter spacing in W3.CSS.
- 4. The w3-li chass is used to display a basic list.
- 5. W3-bettom ar is not a type of bar classes.
- 6. The v3-color-opacity classes makes images transparent.
- 7. w3-col defines the number of columns occupied in the 12 column system.
- 8. The w3-hover opacity class adds transparency to the image when mouse over.

- 9. Add w3-padding class to the image it adds a further padding between the image and its border.
- 10. W3.CSS is not compatible with opera and safari browsers.

C. Match the following:

1. It is used to add transparency to the image when mouse over	a. S4
2. It is the rounded element with border radius 2px	b. Which padded container for responsive columns
3. The rounded element with border radius 4px:	c. W3-hover-opacity
4. It specify the hoverable border col:	d. W3-bordered
5. Column-level styles foe small street	e. W3-round
devices defines as	
6. W3-row-padding	f. ul opening tag
7. To add bottom border to each row of the table by using	g. W3-round-small
8. To add background color of the	h. Is rounded element with
complete list ald w3-color with	border radius 64 px
9. To add hover color to individual list item add w3-hover-color before	i. W3-opacity min
18 W3-round-jumbo	j. li opening tag
	k. w3-hover-border-color

D. Fill in the blanks.

a. w3-table-	w3-table- b. w3-card		d. w3-round	E. w3-	f. w3-display-
all				hoverable	classes
g. w3-panel	H. w3-border,	i. w3-	j.	k. w3-card	
	w3-bordered	container	<blookquote></blookquote>		

1. To create a simple table, with no affects and striping, simple use
class inside the table tag of the table.
2. There are two classes that add border in the W3.CSS tables. The first class is
class that add border around the whole table. The second class is the
class adds border around each strips.
3. To create a table having strips, border around the strips and borders
around the whole table, create a table and addass to the opening
table tag.
4. By using visual aesthetics of a table, use class adds an effects to the
table which changes the table row color upon house hover.
5. To create a card with W3-CSS, use the class with div.
6 class is the perfect class to display notes and information.
7. The class adds rounded curners to an image.
8. To position the text in an image class is used in w3.css style.
9. User can give padding to the text by using () class which gives 16px
left and right paddicg by default and which does not give top and bottom
padding.
10. To use html in w3-contaner class can be used to display quotes to
add an extra left margin.

Answers

1	1. b	2. a	3. c	4. b	5. d
A	6. a	7. c	8. b	9. d	10. a
В	1. T	2. F	3. T	4. F	5. F
	6. F	7. T	8. T	9. T	10.F
С	1. c	2. g	3. e	4. k	5. a
	6. b	7. d	8. f	9. j	10.h
D	1. c	2. h	3. a	4. e	5. b
	6. g	7. d	8. f	9. i	10.j



Jawahar Computer Education® Head Office-873/1, Sec-I, Aashiyana, Near Sai Temple, Lucknow.